

5. To obtain a good RNA preparation, it is essential to avoid contamination with RNases. Laboratory glassware should be treated by baking at 180°C for 3 h or more. It is best to use sterile disposable plasticware (Eppendorf microtubes, tips, pipets, and so on) whenever possible, since it is essentially free of RNases. A potential major source of contamination with RNase are the hands of the investigator; disposable gloves should be worn during the RNA manipulation. All solutions should be prepared using RNase-free glassware, autoclaved water, and chemicals reserved for work with RNA that should be handled with baked spatulas.
6. The concentration of RNA can be determined spectrophotometrically by reading at wavelength of 260 nm. An $OD_{260} = 1$ corresponds to approx 40 µg of RNA/mL. To estimate concentration in a sample, prepare a dilution 1:25 in water and read at 260 nm; the reading will directly give the concentration of RNA in mg/mL.

References

1. Harrison, B. D., Finch, J. T., Gibbs, A. J., Hollings, M., Shepherd, R. I., Valenta, R. J., and Wetter, C. (1971) Sixteen groups of plant viruses. *Virology* **45**, 356–363.
2. Martelli, G. P. and Russo, M. (1994) Tombusviridae, in *Classification and Nomenclature of Viruses. 6th Report of the International Committee on Taxonomy of Viruses* (Fauquet, C. M., Murphy, F., Bishop, D. H. L., Summers, M. D., Martelli, G. P., Ghabrial, S. A., and Jarvis, A. W., eds.), (*Arch. Virol. Suppl.* **10**).
3. Martelli, G. P., Gallitelli, D., and Russo, M. (1988) Tombusviruses, in *The Plant Viruses. Polyhedral Virions with Monopartite RNA Genomes*, vol. 3 (Koenig, R., ed.), Plenum, New York, pp. 13–72.
4. Dias, H. F. (1970) Transmission of cucumber necrosis virus by *Olpidium cucurbitacearum* Barr and Dias. *Virology* **40**, 828–839.
5. Stobbs, L. W., Cross, G. W., and Manoch, M. S. (1982) Specificity and methods of transmission of cucumber necrosis virus by *Olpidium radicale* zoospores. *Can. J. Plant Pathol.* **4**, 134–142.
6. Harrison, S. C. (1983) Virus Structure: high resolution perspectives. *Adv. Virus Res.* **28**, 187–240.
7. Koonin, E. V. (1991) The phylogeny of RNA-dependent RNA polymerases of positive-strand RNA viruses. *J. Gen. Virol.* **72**, 2197–2206.
8. Russo, M., Burgyán, J., and Martelli, G. P. (1994) Molecular biology of Tombusviridae. *Adv. Virus Res.* **44**, 381–428.
9. Roux, L., Simon, A. E., and Holland, J. J. (1991) Effects of defective interfering viruses on virus replication and pathogenesis in vitro and in vivo. *Adv. Virus Res.* **40**, 181–211.